



Braided Lines Fluorocarbon Lines Nylon Lines





The primary emphasis of the LST (Line System) trademark lies in the development and production of topnotch braided cords, fluorocarbon, and nylon fishing lines. The company is headquartered in Nara, Japan, with a robust network of dealers spanning various parts of the globe.

Every product is meticulously manufactured using cutting-edge equipment and the finest materials, ensuring adherence to exceptionally high standards. The extensive product range encompasses fishing lines suitable for both freshwater and saltwater applications. Within their offerings, you can find options tailored for diverse fishing styles, such as classic jigging, rock fishing, trout, snakehead, catfish, and more.





Braided Lines

Braided lines are one type of fishing line composed of a braid of several non-stretch threads.

pages 4-9

Fluorocarbon Lines

Fishing line made from chemical polymers with high strength.

pages 10-15



Nylon Lines

Fishing lines with good strength and sufficient elasticity, allowing for effective absorption of fish jerks.

pages 16-19



The Casting PE X8 boasts an impeccably smooth surface, ensuring unobstructed passage of moisture through the guides. This premium-grade polyethene fibre enables you to discern the most delicate lure movements, offering utmost control. The intricate fibre weave, coupled with advanced thread weaving technology, imparts vibrancy to the fibre. It resists water, a moisture-repellent characteristic that holds immense significance for anglers. The fluorescent yellow hue facilitates visual oversight while manipulating the bait even in low-light conditions. Moreover, it exhibits a comparable density to black and experiences shallower sinking than the majority of its nearest counterparts





Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Test (lb)	Test (kg)	Туре	Packing (pieces)	Colour	Material
TV0000136249	0,8	0,153	200	13,4	6,1	Braided line	1	fluo yellow	UHPE Polyethylene
TV0000136250	1	0,171	200	18,6	8,4	Braided line	1	fluo yellow	UHPE Polyethylene
TV0000136251	1,5	0,209	200	28	12,5	Braided line	1	fluo yellow	UHPE Polyethylene
TV0000136252	2	0,242	200	30	13,5	Braided line	1	fluo yellow	UHPE Polyethylene

Aoriika PE X4

LineSystem's Aoriika PE X4 240m #0.6 Pink is a standout polyethylene line with a smooth surface for reduced friction in the guides, enhancing casting and sensitivity. Crafted from high-modulus, saltwater-resistant polyethylene, it's soft yet strong. The 240m spool features markings for easy segmentation. Ideal for squid fishing and versatile spinning styles, this Japanese-made line ensures top performance in a compact package.



Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Packing (pieces)	Colour
TV0000144766	0,6	0,128	240	1	pink
TV0000144767	0,8	0,148	240	1	pink
TV0000144768	1	0,165	240	1	pink





The main advantage of the 8-strand Line System PE X8 is significantly reduced friction resistance when jigging. In this fishing style, where the action of jigging is repeated frequently, the stress is considerable. With an 8-strand PE X8 line, the slipperiness of the line is noticeably enhanced, making for a more comfortable fishing experience. Furthermore, the improved roundness reduces resistance, enabling smooth jig deployment, less susceptibility to tidal resistance, and allowing for a more linear, highly sensitive, and direct fishing approach





Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Test (lb)	Test (kg)	Packing (pieces)	Colour	Material
TV0000136256	1,5	0,209	300	25	13	1	multicolor	UHPE Polyethylene
TV0000144818	1,5	0,209	600			1	multicolor	UHPE Polyethylene
TV0000136257	2	0,242	300	35	18	1	multicolor	UHPE Polyethylene
TV0000144819	2	0,242	600			1	multicolor	UHPE Polyethylene
TV0000136258	2,5	0,270	300	40	20	1	multicolor	UHPE Polyethylene
TV0000144820	2,5	0,270	600			1	multicolor	UHPE Polyethylene
TV0000136259	3	0,296	300	50	25	1	multicolor	UHPE Polyethylene
TV0000144821	3	0,296	600			1	multicolor	UHPE Polyethylene
TV0000136260	4	0,342	300	60	30	1	multicolor	UHPE Polyethylene
TV0000144822	4	0,342	600			1	multicolor	UHPE Polyethylene
TV0000144825	5	0,370	300			1	multicolor	UHPE Polyethylene
TV0000144823	5	0,370	600			1	multicolor	UHPE Polyethylene
TV0000144826	6	0,405	300			1	multicolor	UHPE Polyethylene
TV0000144824	6	0,405	600			1	multicolor	UHPE Polyethylene

By assembling the Line System Sea Bass PE X8 into 8 strands, both casting distance and strength are enhanced, allowing for confident control over aggressive fights with trophy-sized sea bass without concerns about the line. Furthermore, the adoption of the Camouflage Silver colour line ensures low visibility by the fish.





Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Test (lb)	Test (kg)	Packing (pieces)	Colour	Material
TV0000136261	0,6	0,132	150	9.9	4,5	1	camouflage silver	UHPE Polyethylene
TV0000136262	0,8	0,153	150	17	8	1	camouflage silver	UHPE Polyethylene
TV0000136263	1	0,171	150	20	9	1	camouflage silver	UHPE Polyethylene
TV0000136264	1,2	0,191	150	24	11	1	camouflage silver	UHPE Polyethylene
TV0000136265	1,5	0,209	150	28	13	1	camouflage silver	UHPE Polyethylene

Sea Bass X8 Night Game

By assembling the Line System Sea Bass PE X8 into 8 strands, both casting distance and strength are enhanced, allowing for confident control over aggressive fights with trophy-sized sea bass without concerns about the line. Furthermore, the adoption of a highly visible yellow line ensures easy visibility even in low-light conditions, enabling swift response to line entanglements and facilitating a comfortable experience during night fishing sessions.





Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Test (lb)	Test (kg)	Packing (pieces)	Colour	Material
TV0000144843	0,6	0,132	150			1	fluo yellow	UHPE Polyethylene
TV0000136266	0,8	0,153	150	17	8	1	fluo yellow	UHPE Polyethylene
TV0000136268	1,2	0,191	150	24	11	1	fluo yellow	UHPE Polyethylene
TV0000136267	1	0,171	150	20	9	1	fluo yellow	UHPE Polyethylene
TV0000136269	1,5	0,209	150	28	13	1	fluo yellow	UHPE Polyethylene





The LineSystem Boat Light Game X8 line is designed for fine fishing starting from 0.6 size; this 8-piece PE set is specially crafted for boat fishing. It significantly reduces friction resistance, minimising guide trouble and line noise. The issue of low flexibility in thinner lines due to wind has been addressed by using an 8-piece configuration, resulting in a line with improved flexibility and manoeuvrability. This strong PE line can withstand various environmental conditions, ensuring it doesn't falter under any circumstances.

Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Test (lb)	Test (kg)	Packing (pieces)	Colour	Material
TV0000136247	0,8	0,153	300	6,9	3,13	1	multicolor	UHPE Polyethylene
TV0000136248	1	0,171	300	8,4	3,81	1	multicolor	UHPE Polyethylene
TV0000144782	1,2	0,191	300			1	multicolor	UHPE Polyethylene

Eging Super Cast X8



The LineSystem Eging Super Cast X8 line allows you to unlock greater casting distances for a bigger catch of fish with ease. Enter the world of squid fishing with this specialised PE line. This 8-strand braided PE line is tightly woven for maximum strength and reliability. Its exceptional stiffness ensures easy handling, even in windy conditions, and guarantees precision in your long casts.

Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Test (lb)	Test (kg)	Packing (pieces)	Colour
TV0000136255	0,6	0,128	150	11,4	5,2	1	pink
TV0000136254	0,8	0,148	150	15,1	6,9	1	pink
TV0000136253	1	0,165	150	18,5	8,4	1	pink





Eging Leader Super Soft Fluorocarbon

The Line System Eging Leader Super Soft line was crafted specifically for Egi lures. Its standout feature is its exceptional ease of knotting and its supple nature. For many anglers, knotting is problematic at two crucial junctions: between the PE and the leader, and between the Egi and the leader. The Eging Leader Super Soft line was made to address these concerns. Beyond its knot-friendly design, its flexibility enhances casting, paving the way for an improved fishing yield. Made of premium fluorocarbon material with a specific gravity of 1.78, it promises durability and strength. Its natural colour seamlessly integrates into various water conditions, making it less visible to fish and more effective in action. Measuring 20 metres, it provides ample length for various fishing endeavours.





Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Test (lb)	Test (kg)	Packing (pieces)	Colour
TV0000136271	1,5	0,211	20	5	2,27	1	clear
TV0000136272	1,75	0,229	20	6	2,72	1	clear
TV0000136273	2	0,243	20	7	3,18	1	clear
TV0000144790	2,5	0,270	20			1	clear

Light Game Leader FC

The Line System Soft Fluorocarbon is for Natural Lure Action. Lures employed in light game fishing are characterised by their lightweight and compact design. Achieving a natural lure action becomes challenging with rigid and thick lines. The angler's intended actions can only be realised through supple and thin lines. The Light Game Leader FC precisely meets these requirements, providing the flexibility and slimness of fluorocarbon that fulfils this demand.





Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Test (lb)	Test (kg)	Packing (pieces)	Colour
TV0000136274	0,6	0,128	30	2,5	1,13	1	clear
TV0000136275	0,8	0,148	30	3	1,36	1	clear
TV0000136276	1	0,165	30	4	1,81	1	clear
TV0000136277	1,5	0,205	30	6	2,72	1	clear
TV0000136278	2	0,235	30	8	3,63	1	clear

Sea Bass Shock Leader FC





When it comes to shock leaders in fluoro-carbon, factors such as ease of knotting and maintaining knot strength are vital and the Line System Shock Leader has these in abundance. The true test lies on the fishing ground where real-world knot strength prevails over theoretical calculations. This line has undergone thorough research into its compatibility with PE lines, minimising strength reduction and yielding the finest shock leader. It ensures peak performance in the real world of fishing where knot integrity is crucial.

Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Test (lb)	Test (kg)	Packing (pieces)	Colour
TV0000136281	2,5	0,260	30	14	6,35	1	clear
TV0000136282	3	0,285	30	16	7,26	1	clear
TV0000136283	3,5	0,310	30	18	8,16	1	clear
TV0000136284	4	0,330	30	20	9,07	1	clear
TV0000136285	5	0,370	30	22	9,98	1	clear

Shock Leader FC





The Line System Shock Leader FC is hailed as the most user-friendly fluorocarbon shock leader available. Much like nylon, the primary role of a shock leader is to bridge the main PE line with the lure and the fish. A crucial aspect of this is the ease of knot-tying. Merely having the elasticity reminiscent of rubber, which enables stretch, is insufficient for controlling and landing fish. This fluorocarbon is uniquely designed, boasting both the flexibility that ensures clean and secure knots and the low stretch combined with strength essential for withstanding the vigorous fights of fish.

Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Test (lb)	Test (kg)	Packing (pieces)	Colour
TV0000144844		0,96	50	100		1	clear
TV0000144845		1,1	50	130		1	clear
TV0000136286	5	0,379	50	16	7,26	1	clear
TV0000136287	6	0,412	50	20	9,07	1	clear
TV0000136288	7	0,451	50	25	11,34	1	clear
TV0000136289	8	0,479	50	30	13,61	1	clear
TV0000136290	10	0,535	50	35	15,88	1	clear
TV0000136291	12	0,579	50	40	18,14	1	clear
TV0000136292	14	0,632	50	50	22,68	1	clear
TV0000136293	18	0,708	50	60	27,22	1	clear
TV0000136294	20	0,781	50	70	31,75	1	clear
TV0000144846		0,82	50	80		1	clear

Shock Leader FC Soft & Strong

LineSystem's Shock Leader FC Soft & Strong line is an exceptional 100% fluorocarbon blend that seamlessly combines softness with unparalleled strength. This fluorocarbon is designed with a harmonious blend of features, making it a multipurpose choice with softness, low stretch, and high strength, ideal for crafting shock leaders in various fishing techniques such as Spinning, Eging, Light Rock Fishing, Bass Fishing, and more. Its user-friendly nature allows for easy knot tying, ensuring a natural action for your lure. Plus, its compact spool design makes it conveniently portable, fitting effortlessly into a small pocket for on-the-go fishing adventures.





Item Code	Length (meters)	Test (lb)	Packing (pieces)	Colour
TV0000144847	30	10	1	clear
TV0000144848	30	12	1	clear
TV0000144849	30	14	1	clear
TV0000144850	30	16	1	clear
TV0000144851	30	20	1	clear
TV0000144852	30	8	1	clear


Zalt's Bass Hard Fluorocarbon

The LineSystem ZALT's Bass Hard Fluorocarbon line is a no-compromise choice. Leveraging fluorocarbon's unique properties to address nylon's weaknesses, this line boasts a specific gravity of 1.78 (compared to nylon's 1.14), ensuring rapid sinking and reduced surface disturbance for enhanced straight-line performance and heightened sensitivity. With its low initial stretch, this fluorocarbon delivers exceptional sensitivity even with minimal weight. Its firm and robust construction sets it apart, allowing you to experience fluorocarbon's distinctive features to the maximum. Elevate your fishing game with the unparalleled performance of LineSystem ZALT's Bass Hard Fluorocarbon.





Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Test (lb)	Test (kg)	Packing (pieces)	Colour	Length (yds)
TV0000144769	2,5	0,27	138	11,59	5,27	1	clear	150
TV0000144770	3	0,292	138	13,82	6,28	1	clear	150
TV0000144771	3,5	0,316	138	15,84	7,2	1	clear	150
TV0000144772	4	0,341	138	17,84	8,11	1	clear	150
TV0000144773	5	0,38	138	20,86	9,48	1	clear	150
TV0000144774	2	0,243	138	9,5	4,32	1	clear	150





The LineSystem ZALT's The Black FC is a revolutionary fishing line with a surface as smooth as silk, thanks to meticulous heat treatment and resin processing in the final stage. Crafted from carefully selected resins, it offers an unprecedented feel for effortless handling and exceptional manoeuvrability. With a 4LB line boasting a 0.177mm diameter, equivalent to Japan's 1st rank, it delivers a powerful measured strength of 4.95 lb. Experience the perfect blend of finesse and strength, allowing you to effortlessly reel in big bass with this advanced fluorocarbon line

Item Code	Length (meters)	Test (lb)	Packing (pieces)	Colour	Length (yds)
TV0000144853	91	10	1	clear	91
TV0000144854	91	12	1	clear	91
TV0000144855	87	14	1	clear	87
TV0000144856	82	16	1	clear	82
TV0000144857	78	20	1	clear	78
TV0000144858	73	25	1	clear	73
TV0000144859	91	6	1	clear	91
TV0000144860	91	7	1	clear	91
TV0000144861	91	8	1	clear	91

Zalt's All Bass Fluorocarbon

The LineSystem ZALT's All Bass Fluorocarbon line is where quality meets unwavering strength you can trust. Designed to surpass tournament line standards. Elevate your angling experience with the finest bass line, a dedication to the tournament enthusiast.



Item Code	Length (meters)	Test (lb)	Packing (pieces)	Colour
TV0000144763	300	12	1	clear
TV0000144764	300	14	1	clear
TV0000144765	300	16	1	clear



Nylon Lines

Fishing lines with good strength and sufficient elasticity, allowing for effective absorption of fish jerks.



Iso Fukase Suspend Nylon Line

The Line System Iso Fukase Suspend fishing line is a state-of-the-art product tailored for professional anglers. Made from nylon with a specific gravity of 1.14, this line is fluorescent orange in colour, ensuring visibility. Each spool offers 150m of line, split into two 75m segments for convenience. As coastal fishing faces increased pressure in recent years, there's a growing demand for lines that can handle intricate tidal currents while also boasting the strength to land large catches even with thinner line sizes. The Iso Fukase Suspend rises to this challenge, maximising both handling and strength with the latest technology.







Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Test (lb)	Test (kg)	Туре	Packing (pieces)	Colour
TV0000136295	1,5	0,205	150			Monofilament line	1	fluo orange
TV0000136296	1,75	0,218	150			Monofilament line	1	fluo orange
TV0000136297	2	0,235	150			Monofilament line	1	fluo orange
TV0000136298	2,5	0,260	150			Monofilament line	1	fluo orange
TV0000136299	3	0,285	150			Monofilament line	1	fluo orange
TV0000136300	4	0,330	150	18	8,52	Monofilament line	1	fluo orange
TV0000136301	5	0,370	150	22	10,6	Monofilament line	1	fluo orange
TV0000136302	6	0,405	150	25	11,34	Monofilament line	1	fluo orange

Iso Fukase Float Nylon

The LineSystem Iso Fukase Float Nylon line features hollow nylon yarn with 17 precision-engineered holes. Elevating knot strength to new heights, this innovative design enhances performance. The yellow line, chosen for its excellent visibility, adds a vibrant touch to your fishing experience. Upgrade toLineSystem Iso Fukase Float Nylon for unmatched knot strength and visibility on the water.





Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Туре	Packing (pieces)	Colour
TV0000144797	2	0,242	150	Monofilament line	1	yellow
TV0000144798	2,5	0,270	150	Monofilament line	1	yellow
TV0000144799	3	0,296	150	Monofilament line	1	yellow

Iso Hato Nylon





LineSystem's Iso Hato Nylon line is a strong line with high visibility and seamless reel integration. The translucent colour options, Blue-White for night fishing and Green for daytime ensure optimal visibility in all environments. Experience excellent reel compatibility, even with last-minute line changes. Elevate your rock and pier fishing with this versatile and reliable line

Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Туре	Packing (pieces)	Colour
TV0000144800	2	0,235	150	Monofilament line	1	green
TV0000144801	2,5	0,27	150	Monofilament line	1	green
TV0000144802	3	0,296	150	Monofilament line	1	green
TV0000144803	4	0,342	150	Monofilament line	1	green
TV0000144804	5	0,382	150	Monofilament line	1	green
TV0000144805	6	0,418	150	Monofilament line	1	green

Iso Hato Special Nylon

LineSystem's Iso Hato Special Nylon line is a versatile bulk line designed for both serious rock fishing and family-friendly pier fishing. Crafted with angler expertise in mind, it offers flexibility for spinning reels, a resin blend to minimise salt residue, and a final surface treatment for a salt-treated, ultra-strong line. Available in two vibrant colours: Yellow-Green and White.





Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Туре	Packing (pieces)	Colour
TV0000144806	2	0,235	300	Monofilament line	1	white
TV0000144812	2	0,235	300	Monofilament line	1	yellow green
TV0000144807	2,5	0,260	300	Monofilament line	1	white
TV0000144813	2,5	0,260	300	Monofilament line	1	yellow green
TV0000144808	3	0,285	300	Monofilament line	1	white
TV0000144814	3	0,285	300	Monofilament line	1	yellow green
TV0000144809	4	0,330	300	Monofilament line	1	white
TV0000144815	4	0,330	300	Monofilament line	1	yellow green
TV0000144810	5	0,370	300	Monofilament line	1	white
TV0000144816	5	0,370	300	Monofilament line	1	yellow green
TV0000144811	6	0,405	300	Monofilament line	1	white
TV0000144817	6	0,405	300	Monofilament line	1	yellow green

The LineSystem Salt Water Nylon line is a versatile solution catering to all aspects of sea fishing, from family outings on breakwaters to thrilling lure fishing adventures. The line features a blend of blue for optimal visibility and camouflage, seamlessly integrating with spinning reels thanks to its flexible treatment. Crafted with a resin to eliminate saltwater residue, the line undergoes a final surface treatment for enhanced resistance to seawater salt. Despite its spool form, it delivers remarkable casting distance and manoeuvrability. With LineSystem's innovative 300m perfectly parallel winding method and a convenient 75m interval quantity seal, it offers exceptional cost performance, allowing for up to four separate uses.



Item Code	Length (meters)	Test (lb)	Туре	Packing (pieces)	Colour
TV0000144837	300	10	Monofilament line	1	blue
TV0000144838	300	12	Monofilament line	1	blue
TV0000144839	300	14	Monofilament line	1	blue
TV0000144840	300	16	Monofilament line	1	blue
TV0000144841	300	20	Monofilament line	1	blue
TV0000144842	300	8	Monofilament line	1	blue

Bobbin Nylon

The LineSystem Bobbin Nylon line is designed for various fishing applications. This universal fishing line is available in large spools, with thicker diameters well-suited for trolling and plumb line fishing. It is a reliable and low-maintenance option suitable for use in any reservoir. The LineSystem Bobbin Nylon offers all-season per-

formance, making it suitable for a wide range of fishing conditions. This monofilament line comes in an eye-catching orange colour and is available in a generous 300m spool. With a test strength of 40lb up to 50lb, it is specifically designed for saltwater fishing. The specific weight of the line is 1.14, and it has a diameter from 0.57mm up to 0.62mm, ensuring durability and strength for various fishing scenarios.





Item Code	Diameter (#)	Diameter (mm)	Length (meters)	Test (lb)	Test (kg)	Туре	Packing (pieces)	Colour
TV0000144832	12	0,570	1000	40	18,14	Monofilament line	1	yellow
TV0000144833	14	0,620	1000	50	22,68	Monofilament line	1	blue
TV0000144834	14	0,620	1000	50	22,68	Monofilament line	1	green
TV0000144835	14	0,620	1000	50	22,68	Monofilament line	1	yellow



HEADOFFICE

- 💿 3 Byzantiou, 2322, Nicosia, Cyprus
 - ☑ info@anglermania.com
 - www.anglermania.com

Greece +30 6948 520 332 | +357 99 848156

Cyprus